
EPV series



EPV

PANEL






No	Name	No	Name	
1	M12 aviation plug	(5)	Unit display	
2	Water-proof key	6	Air supply port	
3	Locking key	7	Air out port	
4	Main display sectiohn	8	Air EXH port	

SPECIFICATION

		EPV1-1	EPV1-5	EPV1-5		
Mo	del	EPV2-1	EPV2-5	EPV2-5		
		EPV3-1	EPV3-5	EPV3-5		
Min.supply Pressure		set pressure + 0.1MPa				
Max.supply Pressure		0.2MPa	0.2MPa 1.0MPa			
Set Pressure Range		0.005~0.1MPa	0.005~0.5MPa	0.005~0.9MPa		
Power Supply	Voltage	DC: 24V±10%				
	Current	DC: 24V 0.12A or less				
	Current Type	DC4~20mA, DC0~20mA				
Input Signal	Voltage Type	DC0~5V, DC0~10V				
	Digital Signal	RS485-MODBUS				
In the second second	Current Type	250Ω or less				
Input Impedance	Voltage Type	Approx 6.5KΩ				
Output Signal	Analog Output	DC1-5V (load impedance : over $1K\Omega$) DC4-20mA (Load impedance : below 250Ω) Output precision within range of 1% F.S.				
	Switch Output	NPN-OC output type:30mA PNP-OC output type:30mA				
Nonlinear		0.5%F.S				
Hyste	eresis	0.5%F.S				
Repea	tability	0.5%F.S				
Temperature	Characteristic	2%F.S				
Display	Precision	2%F,S				
ыѕріау	Division	1000 division				
Ambient Te	emperature	0~50℃				
Protecti	on Class	IP65				
		Secretary.				

ORDERING CODE



- 1. Model EPV1 EPV2
- EPV3
- 2. Range 1: 0.1MPa 3: 0.5MPa 5: 0.9MPa
- 3. Voltage 0: DC 24V

- 4. Input
- 0: Current DC 4-20mA 1: Current DC 0-20mA
- 2: Voltage DC 0-5V 3: Voltage DC 0-10V
- 5. Output
 - 1: Analog DC 1-5V
 - 2: Switch NPN output 3: Switch PNP output
 - 4: Analog: DC4-20mA
- 6. Connection thread BLANK : RC N : NPT T: NPTF

- 7. Size
 1: 1/8(1 type)
 2: 1/4(1,2,3 type)
 3: 3/8(2,3 type)
 4: 1/2 (3 type)
- 8. Cable connector S: Straight 3m L: Right angle 3m N: no cable
- 9. Bracket
- Blank: no bracket B: flat bracket
- C: L type bracket


WIRING METHOD





SETTING METHOD



PRESSURE OUTPUT SIGNAL INPUT










EPV series




• PRESSURE OUTPUT SIGNAL OUTPUT











FLOW CHARACTERISTICS


























EPV1 DIMENSION (mm)




Flat Bracket assembly



L Bracket assembly







EPV series




EPV2 DIMENSION (mm)





Flat Bracket assembly






L Bracket assembly





EPV3 DIMENSION (mm)



Flat Bracket assembly

M12X1

2xRc 1/4,3/8,1/2

IN,OUT

L Bracket assembly

